



**PRODUCT NUMBER: 4500100**

## **Essian Light**

A breathable Single Use Protective Clothing designed to protect against particles contamination and chemical splashes.

### **Overview**

**Reference Number**

4500100

**Product Type**

Protective Clothing

**Range**

Disposable Clothing

**Line**

Disposable

**Brand**

Honeywell

**Industry**

- Industry
- Building and Construction
- Chemical Industries
- Energy or Electricity
- General Industry
- Industrial Cleaning
- Logistics
- Maintenance
- Petro-chemical
- Services
- Utilities
- Water treatment

**Product Use**

- Mechanical works
- Maintenance on site
- Industrial cleaning

### **Features & Benefits**

**Feature**

Essian Light is: - antistatic - Silicone & latex free.

**Benefit**

Excellent ergonomics and fitting: - a 3-piece hood - a special crotch design - an outside flap and a dual slider zipper.  
Breathability: - 3-layer polypropylene

## Technical Description

### Description

Essian Light is - a type 5 & 6, antistatic and radioactive particles certified coverall - with elasticated hood, waist, wrists & ankles.

- made of white breathable polypropylene
- silicone & latex-free.

### Gender

Unisex

### Size

S to XXXL

### Table Size

Tableau des tailles SUPC

### Material

- 3-layer polypropylene - 56g/m<sup>2</sup>

### Color

White

### Type of Protection

- 5
- 6

### Limitation of use

Do not use the overall when there is a defect. When the closing system is faulty, the seams open or any other defects which appear.

### Warning

The choice and use of personal protective equipment must comply with the European Directive No. 89/656/CEE of 30/11/1989. The employer must have previously analysed and assessed the risks linked to intervention and to those generated by the use of the personal protective equipment selected.

## Certifications

### EC Category PPE

3

### EC Certificate Number

4152

### EC Attestation

 EC Attestation

### EC Attestation Number

4152

## Additional Information

### User Manual

User guide - Essian Light

## Maintenance

### Life Cycle

Disposable item. To be discarded after use. Do not reuse this item.

### Storage Information

-10°C to + 40°C in its original packaging and carton, optimal product use is ensured 3 years after manufacturing.

### Care Instructions

To be discarded after use.

## Parts & Accessories

### Accessories

Overshoes (ref. 4551000) and overboots (ref. 4550000) are recommended to complete the suit and ensure a better protection.

This product is a single use garment. The user must wear this garment in association with other equipments (shoes, gloves, glasses, masks...).

## Packaging

### Quantity per Carton

50 units per carton - individually packed