

> HTS 90 / LSH 4

Two sets in one.



rescue.lukas.com/Rescue+products/Accessories/Cutter+%20door+opener/HTS+90+%20LSH+4-p-240.html

Advantages

- + Handy and lightweight
- + Especially suitable for use when there is a risk of explosion as no sparks are produced
- + Storage and transport in a practical case

Application

A complete set to open doors and cut pedals, steering wheels or grill rods in the tightest spaces.

HTS 90 / LSH 4

Two sets in one.

Technical Data

Cutting force up to	16.800 lbf.	75 kN
Spreading force up to	20.00 lbf.	90 kN
Stroke	4 in.	100 mm
Blade opening	1.6 in.	40 mm
Set weight	38 lbs	17,1 kg
Dimensions Box ¹⁾	15.8 x 12.2 x 7.5 in.	400 x 310 x 190 mm

¹⁾ l x w x h

HTS 90 / LSH 4

Two sets in one.

Relevant accessories

For further information on this product, please contact us directly.

Phone number: + 49 91 31.69 8 - 0

Fax number: + 49 91 31.69 8 - 394

E- mail: lukas.info@idexcorp.com

Or find your local dealer at:

rescue.lukas.com/Support/Find+a+dealer.html

HTS 90 / LSH 4

Two sets in one.

Good reasons for LUKAS

eDRAULIC

Maximum liberty for rescue operations.

For more go to [rescue.lukas.com/ Superiority/ eDRAULIC.html](https://rescue.lukas.com/Superiority/eDRAULIC.html)

Turbo power

Turbo power for double performance

For more go to [rescue.lukas.com/ turbo.html](https://rescue.lukas.com/turbo.html)

Star grip control

Singular concept for best possible handling.

For more go to [rescue.lukas.com/ Star_grip_control.html](https://rescue.lukas.com/Star_grip_control.html)

Mono coupling

Plugging tools more quickly and safely.

For more go to [rescue.lukas.com/ Mono_coupling.html](https://rescue.lukas.com/Mono_coupling.html)

Cutter geometry

Maximum force where it is most necessary.

For more go to [rescue.lukas.com/ Cutter_geometry.html](https://rescue.lukas.com/Cutter_geometry.html)

Multifunction tip

Spreading, squeezing and peeling without having to change tips.

For more go to [rescue.lukas.com/ Multifunction_tip.html](https://rescue.lukas.com/Multifunction_tip.html)